

=> d his

```
(FILE 'USPAT' ENTERED AT 12:19:47 ON 10 MAR 1998)
L1      154238 S PROFILE#
L2      41573 S PREFERENCE#
L3      2799 S USER#(2A) (L1 OR L2)
L4      158 S (RETRIEV### OR BROWS###) (P) L3
L5      222 S (RETRIEV### OR FILTER### OR BROWS###) (P) L3
L6      2332 S MULTIMEDIA
L7      31 S L5 AND L6
L8      31 S L3 AND L7
L9      66995 S CRITERIA#
L10     27167 S HISTOR###
L11     630 S USER#(3A) (L9)
L12     89 S (RETRIEV### OR FILTER### OR BROWS###) (P) L11
L13     16 S L10 AND L12
L14     56020 S (RETRIEV### OR FILTER### OR BROWS###) (P) (L1 OR L2 OR 19)
L15     1034 S (RETRIEV### OR FILTER### OR BROWS###) (P) (L1 OR L2 OR L9
OR
L16     427 S L15 AND (L10 OR WEB OR INTERNET)
L17     148 S L16 AND SERVER
L18     23329 S BIDIRECTIONAL
L19     6 S L17 AND L18
L20     52 S L18 AND L15
L21     1190 S (RETRIEV### OR FILTER### OR SORT### OR BROWS###) (P) (L1 O
R L
L22     66 S L21 AND L18
L23     14 S L12 AND SERVER
L24     10 S L22 AND SERVER
L25     285 S L21 AND SERVER
L26     41 S L25 AND MULTIMEDIA
```

=> d 126 1-41

1. 5,727,129, Mar. 10, 1998, Network system for profiling and actively facilitating user activities; Robert Carl Barrett, et al., 1/1 [IMAGE AVAILABLE]
2. 5,722,418, Mar. 3, 1998, Method for mediating social and behavioral processes in medicine and business through an interactive telecommunications guidance system; L. William Bro, 128/905, 920; 434/118; 482/9 [IMAGE AVAILABLE]
3. 5,721,827, Feb. 24, 1998, System for electrically distributing personalized information; James Logan, et al., 395/200.47; 348/13 [IMAGE AVAILABLE]
4. 5,715,404, Feb. 3, 1998, **Multimedia** networked system detecting congestion by monitoring buffers' threshold and compensating by reducing video transmittal rate then reducing audio playback rate; Howard P. Katseff, et al. [IMAGE AVAILABLE]
5. 5,713,019, Jan. 27, 1998, Iconic access to remote electronic monochrome raster data format document repository; Timothy M. Keaten, 1/1 [IMAGE AVAILABLE]
6. 5,710,884, Jan. 20, 1998, System for automatically updating personal

profile **server** with updates to additional user information gathered from monitoring user's electronic consuming habits generated on computer during use; Rick Dedrick, 395/200.47 [IMAGE AVAILABLE]

7. 5,706,507, Jan. 6, 1998, System and method for controlling access to data located on a content **server**; Robert Jeffrey Schloss, 1/1; 345/326, 327, 333 [IMAGE AVAILABLE]

8. 5,689,642, Nov. 18, 1997, Recipient prioritized communication channel profiles; Larry E. Harkins, et al., 395/200.37, 200.59 [IMAGE AVAILABLE]

9. 5,689,553, Nov. 18, 1997, **Multimedia** telecommunications network and service; Sudhir Raman Ahuja, et al., 379/202; 348/15; 370/260, 352; 379/89, 205 [IMAGE AVAILABLE]

10. 5,684,918, Nov. 4, 1997, System for integrating video and communications; Max Abecassis, 386/83, 46 [IMAGE AVAILABLE]

11. 5,675,384, Oct. 7, 1997, VBR MPEG video encoding for ATM networks with dynamic bandwidth renegotiation; Gopalakrishnan Ramamurthy, et al., 348/405, 419 [IMAGE AVAILABLE]

12. 5,664,111, Sep. 2, 1997, Computerized, **multimedia**, network, real time, interactive marketing and transactional system; Kenneth Nahan, et al., 705/27 [IMAGE AVAILABLE]

13. 5,657,461, Aug. 12, 1997, User interface for defining and automatically transmitting data according to preferred communication channels; Larry E. Harkins, et al., 345/333 [IMAGE AVAILABLE]

14. 5,655,015, Aug. 5, 1997, Computer-telephone integration system; Maryann P. Walsh, et al., 379/201, 142, 157, 242, 265 [IMAGE AVAILABLE]

15. 5,655,014, Aug. 5, 1997, Switching device independent computer-telephone integration system; Maryann P. Walsh, et al., 379/201, 242, 289 [IMAGE AVAILABLE]

16. 5,650,994, Jul. 22, 1997, Operation support system for service creation and network provisioning for video dial tone networks; Kathleen Daley, 370/259, 401; 395/200.5 [IMAGE AVAILABLE]

17. 5,644,766, Jul. 1, 1997, System and method for managing a hierarchical storage system through improved data migration; Henry Robert Coy, et al., 707/204; 364/246, DIG.1; 711/161 [IMAGE AVAILABLE]

18. 5,642,410, Jun. 24, 1997, Call processor for a computer telephone integration system; Maryann P. Walsh, et al., 379/201, 112, 127, 128, 211 [IMAGE AVAILABLE]

19. 5,636,346, Jun. 3, 1997, Method and system for selectively targeting advertisements and programming; Andrew N. G. Saxe, 705/1; 348/1; 380/4; 455/2 [IMAGE AVAILABLE]

20. 5,623,681, Apr. 22, 1997, Method and apparatus for synchronizing, displaying and manipulating text and image documents; Kevin G. Rivette, et al., 707/522; 345/341 [IMAGE AVAILABLE]

21. 5,623,679, Apr. 22, 1997, System and method for creating and manipulating notes each containing multiple sub-notes, and linking the sub-notes to portions of data objects; Kevin G. Rivette, et al., 707/526 [IMAGE AVAILABLE]

22. 5,621,727, Apr. 15, 1997, System and method for private addressing plans using community addressing; Gregory M. Vaudreuil, 370/401, 428; 379/225, 231, 234 [IMAGE AVAILABLE]

23. 5,621,660, Apr. 15, 1997, Software-based encoder for a software-implemented end-to-end scalable video delivery system; Navin Chaddha, et al., 395/200.77, 114 [IMAGE AVAILABLE]
24. 5,617,565, Apr. 1, 1997, Broadcast interactive **multimedia** system; Joseph E. Augenbraun, et al., 707/4; 364/283.3, DIG.1 [IMAGE AVAILABLE]
25. 5,610,910, Mar. 11, 1997, Access to telecommunications networks in multi-service environment; Mihai Focsaneanu, et al., 370/351, 401, 463 [IMAGE AVAILABLE]
26. 5,610,653, Mar. 11, 1997, Method and system for automatically tracking a zoomed video image; Max Abecassis, 348/170; 345/328; 348/561, 565 [IMAGE AVAILABLE]
27. 5,596,994, Jan. 28, 1997, Automated and interactive behavioral and medical guidance system; William L. Bro, 600/545; 128/904, 905, 925 [IMAGE AVAILABLE]
28. 5,596,744, Jan. 21, 1997, Apparatus and method for providing users with transparent integrated access to heterogeneous database management systems; Son K. Dao, et al., 707/10; 364/282.1, 282.4, DIG.1 [IMAGE AVAILABLE]
29. 5,592,378, Jan. 7, 1997, Computerized order entry system and method; Paul S. Cameron, et al., 705/27 [IMAGE AVAILABLE]
30. 5,592,375, Jan. 7, 1997, Computer-assisted system for interactively brokering goods or services between buyers and sellers; Bardwell C. Salmon, et al., 705/7; 707/5 [IMAGE AVAILABLE]
31. 5,584,025, Dec. 10, 1996, Apparatus and method for interactive communication for tracking and viewing data; Ronald D. Keithley, et al., 707/104; 364/225.4, DIG.1 [IMAGE AVAILABLE]
32. 5,572,643, Nov. 5, 1996, Web browser with dynamic display of information objects during linking; David H. Judson, 395/200.48; 379/89; 707/531 [IMAGE AVAILABLE]
33. 5,559,707, Sep. 24, 1996, Computer aided routing system; David M. DeLorme, et al., 701/200; 340/990, 995 [IMAGE AVAILABLE]
34. 5,550,965, Aug. 27, 1996, Method and system for operating a data processor to index primary data in real time with iconic table of contents; John D. Gabbe, et al., 707/512; 345/328 [IMAGE AVAILABLE]
35. 5,544,354, Aug. 6, 1996, **Multimedia** matrix architecture user interface; Robert May, et al., 707/4 [IMAGE AVAILABLE]
36. 5,544,303, Aug. 6, 1996, Method for configuring and operating a telecommunication apparatus; Jacques Maroteaux, et al., 345/326 [IMAGE AVAILABLE]
37. 5,513,126, Apr. 30, 1996, Network having selectively accessible recipient prioritized communication channel profiles; Larry E. Harkins, et al., 395/200.58; 358/402, 407; 395/200.36 [IMAGE AVAILABLE]
38. 5,404,505, Apr. 4, 1995, System for scheduling transmission of indexed and requested database tiers on demand at varying repetition rates; Frank H. Levinson, 707/10; 348/3; 364/282.1, 282.3, 282.4, 283.1, 283.3, 284.1, 284.3, DIG.1; 370/468, 473 [IMAGE AVAILABLE]
39. 5,384,835, Jan. 24, 1995, Public telephone network including a

distributed imaging system; Barbara L. Wheeler, et al., 379/93.25;
358/442; 379/100.11 [IMAGE AVAILABLE]

40. 5,333,266, Jul. 26, 1994, Method and apparatus for message handling
in computer systems; Wade Boaz, et al., 395/200.36; 379/89, 93.15, 93.24,
100.08 [IMAGE AVAILABLE]

41. 5,200,993, Apr. 6, 1993, Public telephone network including a
distributed imaging system; Barbara L. Wheeler, et al., 379/93.02;
358/402, 442; 379/93.24, 93.25, 100.11 [IMAGE AVAILABLE]

=> d his

(FILE 'USPAT' ENTERED AT 12:19:47 ON 10 MAR 1998)

L1 154238 S PROFILE#
L2 41573 S PREFERENCE#
L3 2799 S USER#(2A) (L1 OR L2)
L4 158 S (RETRIEV### OR BROWS###) (P) L3
L5 222 S (RETRIEV### OR FILTER### OR BROWS###) (P) L3
L6 2332 S MULTIMEDIA
L7 31 S L5 AND L6

=> d 17 1-31

1. 5,727,129, Mar. 10, 1998, Network system for profiling and actively facilitating user activities; Robert Carl Barrett, et al., 1/1 [IMAGE AVAILABLE]
2. 5,724,092, Mar. 3, 1998, Videophone interactive mailbox facility system and method of processing information; John Davidsohn, et al., 348/14; 379/93.12, 93.17 [IMAGE AVAILABLE]
3. 5,721,827, Feb. 24, 1998, System for electrically distributing personalized information; James Logan, et al., 395/200.47; 348/13 [IMAGE AVAILABLE]
4. 5,710,884, Jan. 20, 1998, System for automatically updating personal profile server with updates to additional user information gathered from monitoring user's electronic consuming habits generated on computer during use; Rick Dedrick, 395/200.47 [IMAGE AVAILABLE]
5. 5,706,507, Jan. 6, 1998, System and method for controlling access to data located on a content server; Robert Jeffrey Schloss, 1/1; 345/326, 327, 333 [IMAGE AVAILABLE]
6. 5,689,642, Nov. 18, 1997, Recipient prioritized communication channel profiles; Larry E. Harkins, et al., 395/200.37, 200.59 [IMAGE AVAILABLE]
7. 5,689,553, Nov. 18, 1997, **Multimedia** telecommunications network and service; Sudhir Raman Ahuja, et al., 379/202; 348/15; 370/260, 352; 379/89, 205 [IMAGE AVAILABLE]
8. 5,664,115, Sep. 2, 1997, Interactive computer system to match buyers and sellers of real estate, businesses and other property using the internet; Richard Fraser, 705/37 [IMAGE AVAILABLE]
9. 5,657,461, Aug. 12, 1997, User interface for defining and automatically transmitting data according to preferred communication channels; Larry E. Harkins, et al., 345/333 [IMAGE AVAILABLE]
10. 5,629,733, May 13, 1997, Electronic television program guide schedule system and method with display and search of program listings by title; Roger Youman, et al., 348/7; 345/146, 327, 902; 348/13; 455/4.2 [IMAGE AVAILABLE]
11. 5,621,727, Apr. 15, 1997, System and method for private addressing plans using community addressing; Gregory M. Vaudreuil, 370/401, 428; 379/225, 231, 234 [IMAGE AVAILABLE]

12. 5,613,032, Mar. 18, 1997, System and method for recording, playing back and searching **multimedia** events wherein video, audio and text can be searched and retrieved; Gil C. Cruz, et al., 386/69; 360/72.1; 370/487; 386/112, 124 [IMAGE AVAILABLE]
13. 5,610,910, Mar. 11, 1997, Access to telecommunications networks in multi-service environment; Mihai Focsaneanu, et al., 370/351, 401, 463 [IMAGE AVAILABLE]
14. 5,606,655, Feb. 25, 1997, Method for representing contents of a single video shot using frames; Farshid Arman, et al., 345/440, 302 [IMAGE AVAILABLE]
15. 5,606,361, Feb. 25, 1997, Videophone interactive mailbox facility system and method of processing information; John Davidsohn, et al., 348/14; 364/226, DIG.1; 379/93.12, 93.17 [IMAGE AVAILABLE]
16. 5,589,892, Dec. 31, 1996, Electronic television program guide schedule system and method with data feed access; Robert A. Knee, et al., 348/731, 564, 569, 906 [IMAGE AVAILABLE]
17. 5,585,866, Dec. 17, 1996, Electronic television program guide schedule system and method including virtual channels; Larry Miller, et al., 348/731, 570, 906 [IMAGE AVAILABLE]
18. 5,537,337, Jul. 16, 1996, Playback conflict detection method and apparatus; Marvin L. Williams, 364/569; 345/963 [IMAGE AVAILABLE]
19. 5,521,841, May 28, 1996, Browsing contents of a given video sequence; Farshid Arman, et al., 345/328, 112 [IMAGE AVAILABLE]
20. 5,515,296, May 7, 1996, Scan path for encoding and decoding two-dimensional signals; Rohit Agarwal, 395/200.34 [IMAGE AVAILABLE]
21. 5,513,126, Apr. 30, 1996, Network having selectively accessible recipient prioritized communication channel profiles; Larry E. Harkins, et al., 395/200.58; 358/402, 407; 395/200.36 [IMAGE AVAILABLE]
22. 5,511,003, Apr. 23, 1996, Encoding and decoding video signals using spatial filtering; Rohit Agarwal, 395/200.34; 348/396 [IMAGE AVAILABLE]
23. 5,508,942, Apr. 16, 1996, Intra/inter decision rules for encoding and decoding video signals; Rohit Agarwal, 395/200.34; 348/396 [IMAGE AVAILABLE]
24. 5,506,954, Apr. 9, 1996, PC-based conferencing system; Taymoor Arshi, et al., 345/501; 348/15; 370/260; 379/202; 395/200.34 [IMAGE AVAILABLE]
25. 5,497,411, Mar. 5, 1996, Telecommunications card-access system; Joseph C. E. Pellerin, 455/411; 379/93.02, 200, 357; 455/558, 566 [IMAGE AVAILABLE]
26. 5,490,247, Feb. 6, 1996, Video subsystem for computer-based conferencing system; Peter Tung, et al., 345/501; 395/200.34 [IMAGE AVAILABLE]
27. 5,488,570, Jan. 30, 1996, Encoding and decoding video signals using adaptive filter switching criteria; Rohit Agarwal, 345/501; 348/396; 395/200.34 [IMAGE AVAILABLE]
28. 5,473,679, Dec. 5, 1995, Signaling system for broadband communications networks; Thomas F. La Porta, et al., 379/201; 348/6, 12, 14; 370/410; 379/207, 220, 221 [IMAGE AVAILABLE]

29. 5,457,780, Oct. 10, 1995, System for producing a video-instruction set utilizing a real-time frame differential bit map and microblock subimages; Venson M. Shaw, et al., 345/502; 348/384, 400; 382/305 [IMAGE AVAILABLE]

30. 5,434,913, Jul. 18, 1995, Audio subsystem for computer-based conferencing system; Peter Tung, et al., 379/202; 395/200.34, 200.77 [IMAGE AVAILABLE]

✓ 31. 5,404,505, Apr. 4, 1995, System for scheduling transmission of indexed and requested database tiers on demand at varying repetition rates; Frank H. Levinson, 707/10; 348/3; 364/282.1, 282.3, 282.4, 283.1, 283.3, 284.1, 284.3, DIG.1; 370/468, 473 [IMAGE AVAILABLE]

=> d 18 5 clms

Rejection

US PAT NO: 5,717,923 [IMAGE AVAILABLE]

L8: 5 of 7

CLAIMS:

CLMS (1)

What is claimed is:

1. An apparatus which customizes a unit of electronic information received by the apparatus to more closely conform to a preference of an individual user, the apparatus comprising:
a personal profile database to store user profile data corresponding to the individual user, wherein the user profile data indicates the preference of the individual user;
a content adapter, coupled to the personal profile database, to customize the unit of electronic information to the individual user according to the user profile data included in the personal profile database; and
a client activity monitor, coupled to the personal profile database, to automatically monitor actions taken by the individual user and **automatically update the user profile data based on the actions**.

CLMS (2)

2. The apparatus of claim 1, wherein the client activity monitor is operative to correlate inputs to the apparatus by the individual user with header information included with the unit of electronic information.

CLMS (3)

3. The apparatus of claim 2, wherein the inputs to the apparatus include inputs received from a cursor control device.

CLMS (4)

4. The apparatus of claim 1, wherein the content adapter is operative to customize the unit of electronic information by comparing header information included with the unit of electronic information to the user profile data stored in the personal profile database.

CLMS (5)

5. The apparatus of claim 1, wherein the content adapter is operative to change a default color received with the unit of electronic information to a preferred color indicated by the user profile data stored in the personal profile database.

CLMS (6)

6. The apparatus of claim 1, wherein the unit of electronic information is received in a plurality of formats and the content adapter is operative to automatically select a consumption format based on the user profile data stored in the personal profile database, wherein the consumption format is one of the plurality of formats, and wherein the apparatus is further operative to provide the unit of electronic information to the individual user in the consumption format.

CLMS (7)

7. The apparatus of claim 1, further comprising an interface, coupled to the content adapter, to allow the individual user to consume the unit of electronic information.

CLMS(8)

8. The apparatus of claim 7, wherein the interface also allows the individual user to interact with the unit of electronic information.

CLMS(9)

9. The apparatus of claim 7, wherein the interface also allows the individual user to modify the user profile data stored in the personal profile database.

CLMS(10)

10. The apparatus of claim 1, wherein the user profile data comprises demographic and psychographic information.

CLMS(11)

11. The apparatus of claim 1, wherein the personal profile database stores the user profile data on a removable nonvolatile storage device.

CLMS(12)

12. The apparatus of claim 1, wherein the personal profile database stores the user profile data in an encrypted format.

CLMS(13)

13. A system for customizing electronic information to more closely conform to a preference of an individual consumer, comprising:
an electronic information server containing a plurality of electronic information units; and
a client system coupled to the electronic information server to receive an electronic information unit of the plurality of electronic information units from the electronic information server, wherein the client system includes,
a personal profile database to store user profile data corresponding to the individual consumer, wherein the user profile data indicates the preference of the individual consumer, and
a content adapter coupled to the personal profile database, to customize the received electronic information unit to the individual consumer according to the user profile data included in the personal profile database.

CLMS(14)

14. The system of claim 13, further comprising a metering server, coupled to the electronic information server and the client system, to transfer individual electronic information units of the plurality of electronic information units from the electronic information server to the metering server.

CLMS(15)

15. The system of claim 14, further comprising a plurality of client systems coupled to the metering server.

CLMS(16)

16. The system of claim 13, further comprising a consumer labeling tool, coupled to the electronic information server, to allow a publisher to.

incorporate consumer variables into individual units of the plurality of electronic information units.

CLMS (17)

17. The system of claim 13, wherein the user profile data comprises demographic and psychographic information.

CLMS (18)

18. The system of claim 13, wherein the client system further comprises an interface, coupled to the content adapter, to allow the individual consumer to consume the electronic information.

CLMS (19)

19. The system of claim 13, wherein the client system further includes a client activity monitor to monitor actions taken by the individual consumer and update the personal profile database based on the actions.

CLMS (20)

20. The system of claim 13, wherein the electronic information unit includes header information for the electronic information unit.

CLMS (21)

21. The system of claim 20, wherein the content adapter customizes the electronic information unit by comparing the header information to the user profile data stored in the personal profile database.

CLMS (22)

22. The system of claim 13, wherein the content adapter modifies a default color received with the electronic information unit to a preferred color indicated by the user profile data included in the personal profile database.

CLMS (23)

23. The system of claim 13, wherein the electronic information unit is received in a plurality of formats and the content adapter is operative to select a consumption format based on the user profile data included in the personal profile database, wherein the consumption format is one of the plurality of formats, and wherein the client system is further operative to provide the unit of electronic information to the individual consumer in the consumption format.

CLMS (24)

24. A method for customizing electronic information to more closely conform to a preference of an individual user, comprising the steps of:

- (a) receiving a unit of electronic information;
- (b) comparing the unit of electronic information to user profile data corresponding to the individual user, wherein the user profile data indicates the preference of the individual user;
- (c) generating a customized unit of electronic information based on the comparing; and
- (d) providing the customized unit of electronic information to the individual user for consumption by the individual user.

CLMS (25)

25. The method of claim 24, further comprising the step of incorporating consumer variables into the unit of electronic information at a

publishing site.

CLMS (26)

26. The method of claim 25, wherein the unit of electronic information includes header information containing user profile data for the unit of electronic information.

CLMS (27)

27. The method of claim 26, wherein the comparing step (b) comprises comparing the header information for the unit of electronic information to the user profile data corresponding to the individual user.

CLMS (28)

28. The method of claim 24, wherein the generating step (c) comprises modifying a default color received with the unit of electronic information to a preferred color indicated by the comparing.

CLMS (29)

29. The method of claim 24, wherein the receiving step (a) comprises receiving the unit of electronic information in a plurality of formats.

CLMS (30)

30. The method of claim 29, wherein the generating step (c) comprises selecting a consumption format based on the comparing, wherein the consumption format is one of the plurality of formats, and wherein the providing step (d) comprises providing the unit of electronic information to the individual user in the consumption format.

CLMS (31)

31. The method of claim 24, further comprising the steps of:
encrypting the user profile data; and
storing the user profile data in a nonvolatile storage device.

CLMS (32)

32. The method of claim 24, further comprising the steps of:
(e) collecting new user profile data corresponding to the individual user as the individual user consumes the customized unit of electronic information; and
(f) using the new user profile data in the generating of subsequent customized units of electronic information.